Safety Data Sheet

ADESILEX G19/ADESILEX G20/KERALASTIC comp. B

Safety Data Sheet dated: 2/23/2018 - version 3

Date of first edition: 5/3/2017



1. Identification

GHS Product identifier

Mixture identification:

Trade name: ADESILEX G19/ADESILEX G20/KERALASTIC comp. B

Trade code: 904199

Recommended use of the chemical and restrictions on use

Recommended use: DXE2H_ITA_PLG Uses advised against: Data not available.

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia
T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26

Police or Fire Brigade 000

2. Hazard identification





Classification of the Hazardous chemical

Acute Tox. 4 Harmful if swallowed.

Acute Tox. 4 Harmful in contact with skin.

Skin Corr. 1B Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1A May cause an allergic skin reaction.

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

GHS label elements, including precautionary statements

Pictograms and Signal Words



Danger

Hazard statements:

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264.1	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P301+P330+P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P321.A	Specific treatment (see supplementary instructions on this label).
P322	Specific measures (see on this label).
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501.B	Dispose of contents in accordance with local regulation.

Other hazards which do not result in a classification

Other Hazards: No other hazards

3. Composition/information on ingredients

Substances

no data available

Mixtures

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:

50-75 % 3-aminomethyl-3,5,5-trimethylcyclohexylamin CAS:2855-13-2 EC:220-666-8 Index:612-067- O0-9 Acute Tox. 4, H302; Acute Tox. 4, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412; Skin Sens. 1, H317 20-25 % 2,4,6-tris(dimethylaminomethyl)phenol CAS:90-72-2 EC:202-013-9 Skin Corr. 1C; Eye Dam. 1; Skin Sens. 1B, H314, H318, H317 5-10 % benzyl alcohol CAS:100-51-6 EC:202-859-9 Index:603-057- O0-5 Acute Tox. 4; Acute Tox. 4; Eye Irrit. 2A, H332, H302, H319 5-10 % Phenol, styrenated CAS:61788-44-1 Aquatic Chronic 2, H411 EC:262-975-0 2.5-5 % bis[(dimethylamino)methyl]phenol CAS:71074-89-0 Skin Corr. 1C; Skin Sens. 1B, EC:275-162-0 H314, H317	Quantity	Name	Ident. Numb.	Classification
tris(dimethylaminomethyl)phenol EC:202-013-9 Sens. 1B, H314, H318, H317 5-10 % benzyl alcohol CAS:100-51-6 EC:202-859-9 Index:603-057-00-5 5-10 % Phenol, styrenated CAS:61788-44-1 Aquatic Chronic 2, H411 EC:262-975-0 2.5-5 % bis[(dimethylamino)methyl]phenol CAS:71074-89-0 Skin Corr. 1C; Skin Sens. 1B,	50-75 %	, , ,	EC:220-666-8 Index:612-067-	H312; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 3,
EC:202-859-9 Irrit. 2A, H332, H302, H319 Index:603-057- 00-5 5-10 % Phenol, styrenated CAS:61788-44-1 Aquatic Chronic 2, H411 EC:262-975-0 2.5-5 % bis[(dimethylamino)methyl]phenol CAS:71074-89-0 Skin Corr. 1C; Skin Sens. 1B,	20-25 %	, ,		• •
EC:262-975-0 2.5-5 % bis[(dimethylamino)methyl]phenol CAS:71074-89-0 Skin Corr. 1C; Skin Sens. 1B,	5-10 %	benzyl alcohol	EC:202-859-9 Index:603-057-	
	5-10 %	Phenol, styrenated		Aquatic Chronic 2, H411
	2.5-5 %	bis[(dimethylamino)methyl]phenol		·

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Symptoms caused by exposure

Eye irritation

Eye damages

Skin Irritation

Erythema

Medical attention and special treatment

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

5. Fire-fighting measures

Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: ==

Oxidizing properties: no data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

7. Handling and storage

3/8/2019

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Production Name

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

8. Exposure controls/personal protection

Control parameters – exposure standards, biological monitoring

Predicted No Effect Concentration (PNEC) values

r redicted No Effect con	icciici acioii	(1.1120)	values		
Component	CAS-No.	PNEC LIMIT	Exposure Route	Exposure Frequency	Remark
3-aminomethyl-3,5,5- trimethylcyclohexylamine	2855-13-2	0,06 mg/l	Fresh Water		
		0,006 mg/l	Marine water		
		0,23 mg/l	Intermittent release		
		5,784 mg/kg	Freshwater sediments		
		0,578 mg/kg	Marine water sediments		
		1,121 mg/kg	Soil		
		3,18 mg/l	Microorganisms in sewage treatments		
2,4,6- tris (dimethylaminomethyl) phenol	90-72-2	0,084 mg/l	Fresh Water		
		0,0084 mg/l	Marine water		
		0,2 mg/l	Microorganisms in sewage treatments		
benzyl alcohol	100-51-6	1 mg/l	Fresh Water		
		0,1 mg/l	Marine water		
		5,27 mg/kg	Freshwater sediments		
		0,527 mg/kg	Marine water sediments		
		39 mg/l	Microorganisms in sewage treatments		
		0,45 mg/kg	Soil		
		2,3 mg/l	Intermittent release		
Phenol, styrenated	61788-44-1	. 0,001 mg/l	Fresh Water		
		65778 mg/kg	Marine water sediments		
		65778 mg/kg	Freshwater sediments		
Date 3/8/2019	Production I	Name	ADESII EX G19/AI	DESILEX G20/KERA	I ASTIC comr

Derived No Effect Level. (DNEL)

Derived no Effect Level. (DNEL)						
Component	CAS-No.	Worker Industr y			Exposure Route	Exposure Frequency Remark
3-aminomethyl- 3,5,5- trimethylcyclohexyla mine	2855-13-2	20,1 mg/m3			Human Inhalation	
2,4,6- tris (dimethylaminometh yl)phenol	90-72-2	4,9 mg/m3			Human Inhalation	Long Term, local effects
		0,31 mg/m3			Human Inhalation	Long Term, systemic effects
benzyl alcohol	100-51-6			20 mg/kg	Human Oral	Short Term, systemic effects
				4 mg/kg	Human Oral	Long Term, systemic effects
		110 mg/m3		27 mg/m3	Human Inhalation	Short Term, systemic effects
		22 mg/m3		5,4 mg/m3	Human Inhalation	Long Term, systemic effects
		40 mg/kg		20 mg/kg	Human Dermal	Short Term, systemic effects
		8 mg/kg		4 mg/kg	Human Dermal	Long Term, systemic effects
Phenol, styrenated	61788-44-1	11,02 mg/m3		2,717 mg/m3	Human Inhalation	Long Term, systemic effects
		6,25 mg/kg		3,125 mg/kg	Human Dermal	Long Term, systemic effects
				1,562 mg/kg	Human Oral	Long Term, systemic effects

Appropriate engineering controls

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

9. Physical and chemical properties

Color: transparent Appearance: liquid Odour: ammonia

Odour threshold: no data available

pH: 11.00

Melting point / freezing point: no data available Initial boiling point and boiling range: 127 °C (261 °F)

Flash point: 100 °C (212 °F) Evaporation rate: no data available Flammability (Solid, Gas): no data available

Upper/lower flammability or explosive limits: no data available

Vapour pressure: no data available

Vapour density: no data available Relative density: 0.92 g/cm3 Solubility in water: partly soluble

Solubility in oil: Soluble

Partition coefficient (n-octanol/water): no data available

Auto-ignition temperature: no data available Decomposition temperature: no data available

Viscosity: 30.00 cPs

Specific heat value: no data available

Saturated vapour concentration: no data available

Release of invisible flammable vapours and gases: no data available

Particle size: no data available Size distribution: no data available Shape and aspect ratio: no data available

Crystallinity: no data available Dustiness: no data available Surface area: no data available

Degree of aggregation or agglomeration, and dispersibility: no data available

Biodurability or biopersistence: no data available Surface coating or chemistry: no data available

VOC (Volatile Organic Compound): 14,6 (A+B) (Rule 1168) g/l

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

no data available

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

SECTION 11: Toxicological information

Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

3-aminomethyl-3,5,5trimethylcyclohexylamin a) acute toxicity

LC50 Inhalation Dust Rat > 5,01 mg/l 4h

LD50 Oral Rat = 1030 mg/kgLD50 Skin Rat > 2000 mg/kg

2,4,6-

a) acute toxicity

LD50 Oral Rat > 2169 mg/kg

tris

(dimethylaminomethyl)

phenol

Phenol, styrenated a) acute toxicity LC50 Inhalation Vapour Mouse = 158,3 mg/l 4h

LD50 Oral Rat > 2500 mg/kg LD50 Skin Rat > 2000 mg/kg

Date 3/8/2019 Production Name

ADESILEX G19/ADESILEX G20/KERALASTIC comp. B

benzyl alcohol g) reproductive toxicity NOAEL Rat = 1072 mg/m3l) chronic toxicity NOAEL Oral Rat = 400 mg/kgNOAEL Inhalation Rat = 1072 mg/m3a) acute toxicity LD50 Skin Rabbit = 2000 mg/kgLD50 Oral Rat = 1620 mg/kgLC50 Inhalation Rat > 4178 mg/l 4h

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic life with long lasting effects.

List of components with eco-toxicological properties

Quantity	Component	Ident. Numb.	Ecotox Infos
50-75 %	3-aminomethyl-3,5,5- trimethylcyclohexylamin	CAS: 2855-13-2 - EINECS: 220- 666-8 - 67-548- EC: 612-067-00- 9	a) Aquatic acute toxicity: LC50 Fish = 110 mg/L 96
			a) Aquatic acute toxicity: EC50 Daphnia = 23 mg/L 48
			a) Aquatic acute toxicity: EC50 Daphnia = 388 mg/L 48
			a) Aquatic acute toxicity: EC50 Algae > 50 mg/L 72
			b) Aquatic chronic toxicity: NOEC Daphnia = 3 mg/L - 21 d
20-25 %	2,4,6- tris(dimethylaminomethyl)phenol	CAS: 90-72-2 - EINECS: 202- 013-9	a) Aquatic acute toxicity: LC50 Fish = 222 mg/L 24
			a) Aquatic acute toxicity: LC50 Fish = 249 mg/L 24
			a) Aquatic acute toxicity: LC50 Fish = 175 mg/L 96
			a) Aquatic acute toxicity: EC50 Daphnia = 718 mg/L 96
			a) Aquatic acute toxicity: EC50 Algae = 84 mg/L 72
			b) Aquatic chronic toxicity: NOEC Algae = 6,25 mg/L
5-10 %	benzyl alcohol	CAS: 100-51-6 - EINECS: 202- 859-9 - 67-548- EC: 603-057-00- 5	a) Aquatic acute toxicity: EC50 Daphnia = 230 mg/L 48
			a) Aquatic acute toxicity: LC50 Fish = 770 mg/L 1
			a) Aquatic acute toxicity: EC50 Algae = 770 mg/L 72
			a) Aquatic acute toxicity: LC50 Fish = 460 mg/L 96
			a) Aquatic acute toxicity: EC50 Daphnia = 66 mg/L
			b) Aquatic chronic toxicity: NOEC Daphnia = 51 mg/L - 21 d

1 - EINECS: 262-975-0

a) Aquatic acute toxicity: EC50 Algae = 9,7 mg/L 72a) Aquatic acute toxicity: LC50 Fish = 5,6 mg/L 96

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

13. Disposal considerations

Disposal methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. Transport information

UN number

2735

UN proper shipping name

ADG-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. ADR-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. IATA-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. IMDG-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.

Transport hazard class(es)

ADG-Class: 8
ADR-Class: 8
IATA-Class: 8
IMDG-Class: 8

Packing group, if applicable

ADG-Packing Group: III ADR-Packing Group: III IATA-Packing group: III IMDG-Packing group: III

Environmental hazards

ADG-Environmental Pollutant: No

Marine pollutant: No

no data available

Special precautions for user

no data available

Additional Information

no data available

HazChem Code/Emergency Action code

2X

15. Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice

16. Other information

Code	Description
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.

Harmful to aquatic life with long lasting effects.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

H412

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

 $\hbox{GHS: Globally Harmonized System of Classification and Labeling of Chemicals.}$

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 16. OTHER INFORMATION