



# SAFETY DATA SHEET

Product: Yalanji Coolant RIMShield Premix

Page 1 of 8

Date of Issue: January 2023

READ AND UNDERSTAND THE SAFETY DATA SHEET BEFORE HANDLING OR DISPOSING OF THIS PRODUCT

NON-HAZARDOUS CHEMICAL AND NON-DANGEROUS GOODS

## SECTION 1: IDENTIFICATION OF MATERIAL AND SUPPLIER

**Product Name:** Yalanji Coolant RIMShield Premix  
**Product Code:** 10000040 (205L), 10000039 (1000L)  
**Recommended Use:** Protective treatment for rim/wheel assemblies; for industrial use only.

**Supplier Details:** Yalanji Coolants Pty Ltd  
232 Severin Street  
PARRAMATTA PARK QLD Australia  
Tel: 1300 235 309 (Australia Wide)+61 427 459 077

**After Hours Emergency Telephone Number:**

## SECTION 2: HAZARDS IDENTIFICATION

This product is classified as a **NON-HAZARDOUS SUBSTANCE** according to the criteria of the National Occupational Health and Safety Commission Australia (NOHSC, now Safe Work Australia) and as a **NON-HAZARDOUS CHEMICAL** in accordance with the WHS, and as **NON-DANGEROUS GOODS** according to the Australian Dangerous Goods (ADG) Code

### AUSTRALIAN CLASSIFICATION:

**Statement of Hazardous Nature:** Not applicable.

### GHS CLASSIFICATION (AUSTRALIA):

**Hazardous Classes & Categories:** Not applicable.

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

No.	Chemical Name	CAS Number	Proportion (% by wt.)
1.	*Non-hazardous ingredients	Proprietary	100%

\*Ingredients present at non-hazardous concentrations, according to criteria of Safe Work Australia, based on available information

## SECTION 4: FIRST AID MEASURES

**Inhalation:** Move the person away from the contaminated area. Make the affected person rest. If necessary, seek medical advice. Apply artificial respiration if patient is not breathing. Show this sheet to the doctor.



# SAFETY DATA SHEET

Product: Yalanji Coolant RIMShield Premix

Page 2 of 8

Date of Issue: January 2023

<b>Skin:</b>	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If irritation develops or persists, seek medical attention. Show this sheet to the doctor.
<b>Eyes:</b>	If in eyes, hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. If eye irritation persists, seek medical attention immediately. Show this sheet to the doctor.
<b>Ingestion:</b>	If swallowed, do NOT induce vomiting. Rinse mouth with water. Give a glass of water to drink. Never give anything by mouth to an unconscious or convulsing person. If vomiting occurs give further water. If symptoms develop seek medical attention. Show this sheet to the doctor.
<b>Medical attention and special treatment:</b>	Treat symptomatically. All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. No specific antidote available.
<b>Poisons Information:</b>	For advice contact a Poisons Information Centre ( <i>Australia 13 1126</i> ) or a doctor (at once).

## SECTION 5: FIRE FIGHTING MEASURES

<b>Suitable Extinguishing Media:</b>	For large fires use water fog, fine water spray or foam. Do not use water jets. For small fires use foam, dry chemical, carbon dioxide or water spray.
<b>Hazards from combustion products:</b>	This product is a non-combustible liquid. It is not readily combustible under normal conditions; however it will break down under fire conditions and the organic component may burn. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes thermal or oxidative degradation.
<b>Special protective equipment and precautions for fire fighters:</b>	Fire fighters should wear full protective clothing including a self-contained breathing apparatus if risk of exposure to vapour or products of combustion following evaporation of aqueous component.
<b>Hazchem Code:</b>	None applicable.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

<b>Personal Precautions:</b>	Avoid contact with skin and eyes. Personal protective equipment: <ul style="list-style-type: none"><li>- Appropriate gloves.</li><li>- Eye/face protection (safety glasses with side shields or splash proof goggles).</li><li>- Suitable protective clothing.</li></ul> For further information, refer to section 8 "Exposure Controls / Personal Protection". Turn leaking containers leak-side up to prevent the escape of liquid.
<b>Environmental Precautions:</b>	Contain – prevent run off into drains and waterways. If large quantities of this material enter the waterways contact the Environment Protection Authority, or your local Waste Management Authority. Dispose of waste according to Federal, EPA, state and local regulations.



# SAFETY DATA SHEET

<b>Methods for Cleaning Up:</b>	<p><u>Recovery:</u> Absorb the product onto suitable, non-combustible porous material. Sweep up or vacuum up the product. Collect up the product and place it in a spare container, suitably labelled. Keep the recovered product for subsequent disposal.</p> <p><u>Cleaning/Decontamination:</u> Wash contaminated area with large amounts of water. Recover the cleaning water for subsequent disposal.</p> <p><u>Disposal:</u> Dispose of all contaminated materials in accordance with local regulations. (Refer to section 13 "Disposal Considerations").</p>
<b>Further Information:</b>	Warning: Material can create slippery conditions.
<b>Dangerous Goods - Initial Emergency Response Guide (IERG) (SAA/SNZ HB76)</b>	None applicable.

## SECTION 7: HANDLING AND STORAGE

<b>Precautions for safe handling:</b>	Avoid skin and eye contact and breathing in vapour. Use with adequate ventilation. Always wash hands thoroughly after handling. Wash contaminated clothing and other protective equipment before storage or re-use. For further information, refer to section 8 "Exposure Controls/Personal Protection". Do not dispose of material in sewers or waterways.
<b>Conditions for safe storage:</b>	Keep all containers tightly closed when not in use – check regularly for leaks. Store in a cool, dry, well ventilated place out of direct sunlight. Store away from incompatible materials such as strong oxidising agents and foodstuffs.

## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Exposure Standards:</b>	No value has been assigned for this specific material by the National Occupational Health and Safety Commission or Safe Work Australia. However, over-exposure to any chemical may result in enhancement of pre-existing adverse medical conditions and/or allergic reactions.
<b>Exposure Limit:</b>	None.
<b>Engineering Controls:</b>	Natural ventilation should be adequate under normal conditions of use. Keep containers closed when not in use.
<b>Personal Protective Equipment:</b>	
<u>Respiratory protection:</u>	None required. Use with adequate ventilation. If inhalation risk exists wear organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
<u>Eye protection:</u>	Safety glasses or a face shield are recommended to prevent eye contact.
<u>Skin/Body protection:</u>	Wear overalls, safety shoes, and impervious gloves (rubber/PVC gloves). Due to variations in glove constructions and local conditions, final assessment should be made by the user.



# SAFETY DATA SHEET

Product: Yalanji Coolant RIMShield Premix

Page 4 of 8

Date of Issue: January 2023

## Workplace Hygiene Measures:

Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material:

- Do not store, use, and /or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored.
- Always wash hands and face before eating, drinking, smoking, applying cosmetics, or using the toilet.
- Wash contaminated clothing and other protective equipment before storage or re-use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Green coloured liquid.
<b>Odour:</b>	Very mild odour.
<b>Odour threshold:</b>	No data available.
<b>pH:</b>	8.4
<b>Freeze Point:</b>	0°C.
<b>Boiling Point:</b>	100°C.
<b>Flash Point:</b>	None detected.
<b>Fire Point:</b>	None detected.
<b>Flammability Limits (%):</b>	Not applicable.
<b>Vapour Pressure:</b>	2.3 kPa (@ 20°C).
<b>Vapour density:</b>	0.62 (Air = 1).
<b>Specific Gravity:</b>	1.006 at 20°C.
<b>Solubility in Water:</b>	Complete.
<b>Solubility in Organic Solvents:</b>	No data available.
<b>Partition coefficient: n-octanol/water:</b>	No data available.
<b>Auto-ignition temperature:</b>	Not applicable.
<b>Decomposition temperature:</b>	No data available.
<b>Viscosity:</b>	No data available.
<b>Oxidizing Properties:</b>	Not applicable.

## SECTION 10: STABILITY AND REACTIVITY

<b>Chemical stability:</b>	Stable under normal conditions of use.
<b>Hazardous reactions:</b>	No known hazardous reactions.
<b>Conditions to avoid:</b>	None.
<b>Incompatible materials:</b>	None.
<b>Hazardous decomposition products:</b>	Product does not decompose at ambient temperatures. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes thermal or oxidative degradation.



# SAFETY DATA SHEET

Product: Yalanji Coolant RIMShield Premix

Page 5 of 8

Date of Issue: January 2023

## SECTION 11: TOXICOLOGICAL INFORMATION

No LD<sub>50</sub> data available for the product. The toxicological information is based on data from a hazardous ingredient. No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms of effects that may arise if the product is mishandled and overexposure occurs are:

### Acute Effects:

<b>Inhalation:</b>	Material may be an irritant to mucous membranes and respiratory tract.
<b>Skin contact:</b>	Contact with skin may result in irritation.
<b>Ingestion:</b>	Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.
<b>Eye contact:</b>	May be an eye irritant.

### Acute Toxicity:

<b>Inhalation:</b>	This product has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >20mg/L.
<b>Skin contact:</b>	This product has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000mg/Kg.
<b>Ingestion:</b>	This product has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000mg/Kg.

### Corrosion/Irritancy:

<u>Eye:</u>	This product has been classified as not corrosive or irritating to the eyes.
<u>Skin:</u>	This product has been classified as not corrosive or irritating to the skin.

### Sensitisation:

<u>Inhalation:</u>	This product has been classified as not a respiratory sensitiser
<u>Skin:</u>	This product has been classified as not a skin sensitiser.

**Aspiration hazard:** This product has been classified as non-hazardous.

**Specific Target Organ Toxicity (STOT) - single exposure:** This product has been classified as non-hazardous.

### Chronic Toxicity:

<b>Mutagenicity:</b>	This product has been classified as non-hazardous.
<b>Carcinogenicity:</b>	This product has been classified as non-hazardous.
<b>Reproductive toxicity (including via lactation):</b>	This product has been classified as non-hazardous.
<b>Specific Target Organ Toxicity (STOT) - repeated exposure:</b>	This product has been classified as non-hazardous.

## SECTION 12: ECOLOGICAL INFORMATION

Complete ecological testing on this product has not been conducted. The information is based on information for representative substances.

<b>Ecotoxicity:</b>	Avoid contaminating waterways, drains and sewers.
<b>Persistence and degradability:</b>	The potential to bioaccumulate has not been determined, however the material is readily biodegradable according to the AS 4351 Part 2 test method.



# SAFETY DATA SHEET

Product: Yalanji Coolant RIMShield Premix  
Page 6 of 8

Date of Issue: January 2023

**Mobility:** Not determined.  
**Aquatic toxicity:** Non-hazardous to aquatic organisms.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Residues from product

**Prohibition:** Discharging waste into rivers and drains is forbidden.  
**Destruction/Disposal:** Chemical additions, processing or otherwise altering this material may make the waste management information presented in this SDS incomplete, inaccurate or otherwise inappropriate. Dispose of in accordance with relevant national and local regulations, EPA requirements and safety regulations at an authorised site.

### Contaminated packaging

**Prohibition:** Do not dispose of the product at a rubbish tip.  
**Decontamination/Cleaning:** Any containers or equipment used should be decontaminated immediately after use. Completely empty the packaging prior to decontamination. Carefully drain and then steam clean.

**Container Handling and Disposal:** Recycle following cleaning or dispose of at an authorised site.

## SECTION 14: TRANSPORT INFORMATION

**UN Number:** None allocated.  
**Proper Shipping Name:** None allocated.  
**Dangerous Goods Class:** None allocated.  
**Subsidiary Risk:** None allocated.  
**Packing Group:** None allocated.  
**HAZCHEM Code:** None allocated.

**Road and Rail Transport (Australia)** Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) for transport by road and rail.

**Marine Transport:** Not classified as Dangerous Goods according to the International Maritime Organization Rules (Maritime Dangerous Goods Code - IMDG Code) for transport by sea.  
Marine pollutant: No

**Air Transport:** Not classified as Dangerous Goods according to the International Civil Aviation Organization (ICAO) and International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## SECTION 15: REGULATORY INFORMATION

**SUSMP:** No Poisons Schedule Number allocated.  
**Inventory Status:** Australia (AICS): Y



# SAFETY DATA SHEET

Product: Yalanji Coolant RIMShield Premix  
Page 7 of 8

Date of Issue: January 2023

Y = All ingredients are on the inventory.  
E = All ingredients are on the inventory or exempt from listing.  
P = One or more ingredients fall under the polymer exemption or are on the no longer polymer list. All other ingredients are on the inventory or exempt from listing.  
N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing.

**NOTE:**

*The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the Safety Data Sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.*

## SECTION 16: OTHER INFORMATION

<b>ADG Code:</b>	Australian Code for the Transport of Dangerous Goods by Road and Rail.
<b>AICS:</b>	Australian Inventory of Chemical Substances
<b>AS:</b>	Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia
<b>AS/NZS:</b>	Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001, Australia and Standards New Zealand, Private Bag 2439 Wellington 6140, New Zealand
<b>CAS Number:</b>	Chemical Abstracts Service Registry Number
<b>GHS:</b>	Globally Harmonized System of Classification and Labelling of Chemicals, a globally harmonized system for classification and labelling of chemicals proposed by the United Nations
<b>HAZCHEM:</b>	An emergency action code of numbers and letters which gives information to emergency services.
<b>IERG:</b>	Dangerous Goods Initial Emergency Response Guide (SAA/SNZ HB 76:2010)
<b>IMDG:</b>	International Maritime Dangerous Goods Code for transport by sea.
<b>LD</b>	The median lethal dose, LD <sub>50</sub> (abbreviation for "lethal dose, 50%"), is the dose required to kill half the members of a tested population after a specified test duration.
<b>Safe Work Australia:</b>	Safe Work Australia was formerly the Australian Safety and Compensation Council, which included the National Occupational Health and Safety Commission (NOHSC).
<b>SDS:</b>	Safety Data Sheet.
<b>STEL:</b>	Short term Exposure Limit – the average airborne concentration over a 15-minute period which should not be exceeded at any time over an entire working life.
<b>SUSMP:</b>	Standard for the Uniform Scheduling of Medicines and Poisons.
<b>TWA:</b>	Time-Weighted Average – the average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.
<b>UN Number:</b>	United Nations Number.
<b>WHS:</b>	Model work health and safety legislation introduced by the Australian government which consists of an integrated package of a model Work Health and Safety (WHS) Act, supported by model Work Health and Safety (WHS) Regulations, model Codes of Practice and a National Compliance and Enforcement Policy.
<b>Contact Point:</b>	Yalanji Coolants Pty Ltd
<b>Telephone:</b>	07 4019 2297
<b>Note:</b>	Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

# SAFETY DATA SHEET

Product: Yalanji Coolant RIMShield Premix

Page 8 of 8

Date of Issue: January 2023

---

**Disclaimer:**

This SDS should be used in conjunction with the Technical Data Sheet. It does not replace them. This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since Yalanji Coolants Pty Ltd cannot anticipate or control the conditions under which the product may be used, each use must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. This SDS does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. No liability whatsoever can be accepted with regard to the handling, processing or use of the product concerned which, in all cases, shall be in accordance with the appropriate regulations and/or legislation. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

**END OF SAFETY DATA SHEET**